

### PAC RAT ULT-TRA

- Certified welded 6061 military grade aluminum
- CNC machined aluminum components
- Mil-Spec Carc Painted
- High capacity, High speed, High versatility
- Low weight
- Integrated L-track throughout the trailer
- Tilt/Dump Bed
- Operable and removable side gates
- 1800lb Capacity
- Polaris MRZR wheel and bolt pattern
- Rubber Torsion Suspension
- Adjustable tread width 48" 71.5"
- Optional pintle eye tow accessories
- Optional water accessories





#### PAC RAT ULT-TRA TERMS AND LIMITS

	1.5 Meter	2 Meter	
Overall Length (Adjustable)	95-107"	123"	
Overall Width	59.5"	59.5"	
Deck Height	29.5"	31"	
Weight (Less Accessories)	292 lbs	360 lbs	
Track Width	59.5" 59.5"		
Inner Bed Dimensions	54" x 55" x 12"	78 x 55 x 12	
Ground Clearance	14"	14"	
Payload	1750 lbs	1860 lbs	
Dump Angle	<b>52</b> °	<b>40</b> °	
Cargo Volume (with 12" gates)	20.6 cubic ft	29.25 cubic ft	
Highway Speed, мах	60 MPH	60 MPH	
Off-Road Speed, Max	20 MPH	20 MPH	
Suspension Type	Rubber Torsion	Rubber Torsion	
Tire Size – Option 1	25" x 9" x 12"	25" x 9" x 12"	
Tire Size – Option 2	23" x 9" x 12"	23" x 9" x 12"	
Suspension Capacity	2000 lbs	2000 lbs	
DOT Waterproof LED Lights	Yes	Yes	





#### PAC RAT ULT-TRA ACCESSORIES

- DOT Waterproof LED lighting available
- 2" Ball mount
- Multiple 2" receiver locations
- PAC EVAC Casualty Evac System
- Pontoons (2200lb Capacity)
- Trolling Motor
- Swivel Pintle eye tow accessories
- Jump Seats
- Kayak/Ladder rack
- Spare tire
- IR Blackout Light
- Water Resistant Cargo Bag
- Cargo Net
- Electric Drum Brakes





# PAC RAT ULT-TRA PACKAGE #1 COMPLETE TRAILER

**1.5 Meter Trailer** 

**Off-Set Tongue** 

**Pintle Eye** 

Two Tires (24 x 9 x 12)



Sides Kit (Four 12 x 54 L Track Gates with Latches)

**Lighting (Four DOT Lights (Amber and Red/Waterproof)** 

**Part Number: 1301105** 

\$7,000

### PAC RAT ULT-TRA PACKAGE #2 MRZR D COMPLETE TRAILER

**1.5 Meter Trailer** 

**Off-Set Tongue** 

**Pintle Eye** 



**Two Polaris MRZR-D Tires and Wheel - Run Flats** 

Sides Kit (Four 12 x 54 L Track Gates with Latches)

**Lighting (Four DOT Lights-Amber and Red/Waterproof)** 

Part Number: 1301103 \$8,375

# PAC RAT ULT-TRA PACKAGE #3 MRZR D COMPLETE TRAILER W/SPARE

1.5 Meter Trailer

**Off-Set Tongue** 

**Pintle Eye** 



Polaris MRZR-D Tires and Wheel - Run Flats (Qty 3)


Sides Kit (Four 12 x 54 L Track Gates with Latches)

**Lighting (Four DOT Lights - Amber and Red/Waterproof)** 

**Spare Tire Mount and Mounting Hardware** 

Part Number: 1301104

\$9,325



WHEEL

## PAC RAT ULT-TRA TRAILER placement Parts/Wiring Diagram

Replacement parts may be purchased by calling or emailing UPI Manufacturing Sales@upimanufacturing.com (262) 594-3305

ITEM NO.	PART NUMBER	DESCRIPTION	QTY	
1	UPI-650017	HINGE PIN	8	
2	UPI-650024	SUSPENSION BACKER PLATE	2	
3	UPI-850001	FRONT/REAR BULKHEAD	2	
	UPI-850002	BED ASSEMBLY	1	
5	UPI-850003	SIDE BULKHEAD	2	
6	UPI-850010	HITCH ASSEMBLY	1	
7	UPI-850011	TONGUE	1	
8	UPI-850012	AXLE ASSEMBLY	i	
9	UPI-850015	SUSPENSION CARRIER	2	
10	UPI-850016	CAM LOCK	4	
11	UPI-850019	SPARE TIRE KIT, WITH HARDWARE	1	
	UPI-850024	SAFETY CHAIN BRACKET WELDMENT	i	
		SHCS 3/8-16 X 1 Zinc-aluminum-coated Alloy Steel	<u> </u>	
13	40300003	Socket Head Screw, 3/8"-16 Thread Size, 1" Long	4	
14	40300007	Grade 8 Steel Hex Head Screw,Zinc-aluminum-coated	4	
17	40000007	, 3/8"-16 Thread Size, 1" Long	+	
15 4030001 16 4030001	40300013	High-Strength Grade 8 Steel Hex Head Screw, Zinc- Aluminum Coated, 1/4"-20 Thread Size, 3/4" Long	40	
		18-8 Black-Oxide Stainless Steel Nylon-Insert Locknut,		
	40300014	1/4"-20 Thread Size	40	
17 4030001	40300016	Alloy Steel Cone-Point Set Screws, Black Oxide, 5/16"-18	8	
17	40300016	Thread, 5/16" Long	0	
18	40500003	S-Hook-Not for Lifting. Latch on One End, 316 Stainless,	2	
		100 lbs. Capacity	_	
19	50100007	Serial Tag	1	
20	50100008	3/4" Side Light W/Grommet-Red (1 LED) Bullet Connector, Flush Mount	2	
	50100000	3/4" Side Light W/Grommet-Amber (1 LED) Bullet	_	
21	50100009	Connector, Flush Mount	2	
22	50100020	Marine Boat Trailer Jack with 8-Inch Wheel 1,500 lbs, 11	1	
		Inches Vertical Travel 5/8"-11 X 4-1/2" LG HHCS, GRADE 8, Zn-Al COATED,	_	
23	40300022	PARTIAL THREAD	2	
			_	
24	40300023	5/8"-11 NYLON LOCKNUT HEX NUT, 18-8 SS, BLACK-OXIDE	2	
25	50100024	Zinc-Plated Carbon Steel Bent-Pull Clevis Pin, 5/8"	1	
		Diameter, 5" Usable Length	_	
35	50100065	6" oval With Rubber Gromet Tail Light W pig tails	2	
37	40400002	Zinc-aluminum coated SAE Washer for 3/8" Screw Size, 0.406" ID. 0.812" OD	12	
		Nylon-Insert Locknut, Black-Oxide 18-8 Stainless Steel,		
38	40100001	3/8"-16 Thread Size	28	
		3/8" Socket Head Screws, 0.385" ID 0.55" OD, 18-8	<del> </del>	
39	40400001	Stainless Steel Split Lock black oxide Washer	12	
	40000001	SHCS 3/8-16 X 1-1/4" Lg Zinc-aluminum-coated Alloy	1.0	
40	40300021	Steel	12	
41 42	UPI-850025 UPI-850021	TRIPLE STUD BAR, SUSPENSION CARRIER	4	
42	UPI-850021	T-NUT	1,5	
43 44 45	UPI-850026 UPI-850200L	JERRY CAN ASSEMBLY	1	
	110 1-75 20 27 18 21			

BOLT BED TOGETHER AS NEEDED

**FRONT** 





